



## SHARK BLADES PWM WHITE

Illuminated fans can add the finishing touches to a PC case. And, if the fans also ensure an optimal cooling performance, then everything is perfect. That is exactly what the SHARK Blades PWM does. With up to 1,400 rpm at a maximum volume of 24.8 dB(A) and continually smooth running, the fan offers performance without compromise. Thanks to its customizable lighting, it can be elegantly integrated into a case with illuminated hardware components.

### Features

#### ALWAYS FULL PERFORMANCE

The SHARK Blades PWM offers the user 1,400 revolutions per minute and a maximum airflow of 94.8 cubic meters per hour. The mainboard automatically controls the fan speed as required. In addition, the fan can deliver the best possible performance for a very long while. This is ensured by an average service life of at least 50,000 hours.

#### PEACE AND QUIET

Despite its strong performance, the SHARK Blades PWM is hardly noticeable when it comes to volume. At a maximum of just 24.8 dB(A), the fan is slightly louder than a whisper in the same room. Its fluid dynamic bearing supports a quiet performance even during long periods of operation. Thanks to the rubberized contact points, vibration transmitted onto the case is also greatly reduced.

#### A SPECTRUM OF COLORS FOR THE CASE

The SHARK Blades PWM offers 20 addressable RGB LEDs, with a choice from up to 16.8 million colors to let the case radiate in the brightest of colors. The illumination of the LEDs can be customized as desired using the software on the mainboard.

#### FULLY CONNECTABLE FANS

As with all Sharkoon fans, the lighting effects of the SHARK Blades PWM can be synchronized and controlled with almost any commonly available addressable RGB controller: For example, the fan is compatible with the specifications for Asus Aura Sync, MSI Mystic Light Sync and Gigabyte Fusion. Addressable RGB controllers can be used from all providers that support connections with 3-pin 5V-D-G or 4-pin 5V-D-coded-G pinouts.

#### DECOUPLED MOUNTING

The rubberized contact points significantly reduce the case vibration and also enhance the smooth running of the fan.

### Specifications

Product Name	SHARK Blades PWM White
Fan Speed	400 - 1,400 rpm $\pm$ 10 %
Bearing Type	Fluid Dynamic Bearing
Max. Airflow	94.8 m <sup>3</sup> /h
Max. Air Pressure	1.16 mm-H <sub>2</sub> O
Max. Noise Level	24.8 dB(A)
MTBF	Min. 50,000 Hours
Illumination	20x Addressable RGB LEDs
Weight incl. Fixed Cable	142 g
Dimensions (L x W x H)	120 x 120 x 25 mm

### Cable and Connectors

Fan Connector	4-Pin PWM
LED Connector	3-Pin (5V-D-G) & 4-Pin (5V-D-coded-G)
Fan Cable Length	450 mm
LED Cable Length	500 + 50 mm

### Electrical Specifications

Rated Voltage (Fan)	12 V
Rated Voltage (LEDs)	5 V
Rated Voltage (Fan)	0.15 A
Rated Current (LEDs)	0.9 A
Rated Power (Fan)	1.8 W
Rated Current (LEDs)	4.5 W
Start Voltage	7 V

### Package Contents

SHARK Blades PWM White, Set with Fan Screws, Manual

### EAN Code

SHARK Blades PWM White 4044951039982

