

SILENT EAGLE SE

120 mm fan with modular cable system



Features:

- Silent Eagle SE fan with fan-attached modular and flexible QuickConnect cable system
- Suitable for all applications (CPU cooler 3-pin, CPU cooler with PWM function, case fan, HDD cooling etc.)
- Fan blades with award-winning dimple structure and optimized frame design
- Precise fan bearing with perfectly centered rotor for low friction and abrasion of bearing and shaft
- Increased lubricant reserve for extended running smoothness and durability
- Efficient LowNoise motor
- Optimized running cycle

Specifications:

- Duty cycle 0~20%: 350 rpm +/- 200 rpm
- Duty cycle 100%: 1200 rpm +/- 200 rpm
- Starting voltage: DC 6.5 V (on/off)
- Current: 0.1 A
- Max. power: 1.2 W
- Dimensions: 120 x 120 x 25 mm (L x W x D)
- Color: black/white


Languages (package):




SILENT EAGLE SE

Technical Details:

Enduro Bearing:





Analog connection:



Voltage	Noise level in db(A)
12 V	20.5
9 V	8.5
7 V	6.5


Digital connection:



SILENT EAGLE SE

Package content:

- Modular Silent Eagle SE fan (120 mm)
- Fan mounting screws
- Rubber bolts and washers
- Cable set:
 - Cable "Standard": 4-pin to 4-pin PWM (color: white)
 - Cable "Low Noise": 4-pin to 4-pin 12V (color: black)
 - Cable "Silent": 4-pin to 4-pin 9V (color: red)
 - Cable "Ultra Silent": 4-pin to 4-pin 7V (color: blue)



Retail package (8 languages):

